



Product Service

Attestation of Conformity

No. N8A 102263 0042 Rev. 00

Holder of Attestation: **Suzhou Cyantronic Technology Co., Ltd**
 No.1 Shenxiang Road, SND
 215151 Suzhou, Jiangsu
 PEOPLE'S REPUBLIC OF CHINA

Product: **Electronic control gear for emergency lighting**
Emergency module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 704022409066-00

Date, 2025-01-23

(Wei Sun)

Page 1 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 102263 0042 Rev. 00

Model(s): BA02-30; BA04-30; UEM03; BA04-15; BA02-30/ST;
BA04-30/ST; UEM03/ST; BA04-15/ST; BA02-30/SS;
BA02-30/SST; BA04-30/SS; BA04-30/SST;
BA04-15/SS; BA04-15/SST; BC04-30; UEM04;
BC04-30/ST; UEM04/ST; BC04-30/SS;
BC04-30/SST; BC04-30/DA; UEM04/DA.

Brand: CYANTRONIC

CYANTRONIC

Parameters:

Rated voltage:	220-240V~
Rated frequency:	50/60Hz
Rated input current:	See model list
Rated output:	See model list
Rated duration:	See model list
tc:	75°C
ta:	45°C
Method of installation:	Independent
Protection Class:	II
IP20	
SELV	
Battery:	See model list

Page 2 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 102263 0042 Rev. 00

Model list:

Model	Internal Code	Rated Input Current (mA)	Battery	Rated output				Duration (h)
				Output Voltage (VDC)	Iemergency (mA)	Prated (W)	U-OUT (VDC)	
BA02-30	9300230985	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
BA04-30	9300431385	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
UEM03	9300431385	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
BA04-15	9300410985	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	1.5
BA02-30/ST	9300230986	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
BA04-30/ST	9300431386	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
UEM03/ST	9300431386	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
BA04-15/ST	9300410986	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	1.5
BA02-30/SS	9300230988	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
BA02-30/SST	9300230988	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
BA04-30/SS	9300431388	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
BA04-30/SST	9300431388	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	3
BA04-15/SS	9300410988	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	1.5
BA04-15/SST	9300410988	Max.20	1INR22/72 4.9Ah 3.6V	20-59	51-150	4	60	1.5
BC04-30	9320431085	Max.20	2INR19/66 2.6Ah 7.3V	20-59	51-150	4	60	3
UEM04	9320431085	Max.20	2INR19/66 2.6Ah 7.3V	20-59	51-150	4	60	3
BC04-30/ST	9320431086	Max.20	2INR19/66 2.6Ah 7.3V	20-59	51-150	4	60	3
UEM04/ST	9320431086	Max.20	2INR19/66 2.6Ah 7.3V	20-59	51-150	4	60	3
BC04-30/SS	9320431088	Max.20	2INR19/66 2.6Ah 7.3V	20-59	51-150	4	60	3
BC04-30/SST	9320431088	Max.20	2INR19/66 2.6Ah 7.3V	20-59	51-150	4	60	3
BC04-30/DA	9320431087	Max.20	2INR19/66 2.6Ah 7.3V	20-59	51-150	4	60	3
UEM04/DA	9320431087	Max.20	2INR19/66 2.6Ah 7.3V	20-59	51-150	4	60	3

Page 3 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 102263 0042 Rev. 00

**Tested
according to:**

EN 61347-1:2015/A1:2021
 EN 61347-2-7:2012/A2:2022
 EN 62493:2015/A1:2022

Page 4 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.