

# Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

## CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	<b>Suzhou Cyantronic Technology Co. Ltd</b>	Other Name	
Address	<b>No.1 Shenxiang Road, SND Suzhou Jiangsu 215151 China</b>		
Client ID	<b>109237</b>	Global-Mark File Number:	<b>109237-003</b>
Certification and Authorized Mark Number	<b>GMA-521308</b>	Revision Number	<b>00</b>
Certification Standard(s)	<b>AS 61347.2.7:2019 &amp; AS/NZS 61347.1:2016 Amd 1: 2018 Lamp controlgear – Lamp controlgear –Part 2-7: Particular requirements for battery supplied electronic control gear for emergency lighting (self contained)</b>		
Type of Certification	<b>Electrical Safety Product</b>	Scheme	<b>Global-Mark Electrical Product Safety Certification Scheme</b>

System 1 Approval

## CERTIFICATE DATES

Certificate Issue Date	<b>14/12/2024</b>
Certificate Last Update Date	
Certification Expiry Date	<b>14/12/2029</b>

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**

Page 1 of 3

# Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRA03-30	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRA03-30/ST	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRA03-30/SS	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRA03-30/DA	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	BEM303	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	BEM303/ST	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	BEM303/DA	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRB03-30	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRB03-30/ST	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRB03-30/SS	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRB03-30/DA	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRC03-30	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRC03-30/ST	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**



# Certificate of Suitability

Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRC03-30/SS	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA
Non declared	Electronic control gear for emergency lighting(Emergency module)	CYANTRONIC	APRC03-30/DA	Input: 220-240V~; 50/60Hz; 3W Output: 30-300Vdc; 8-80 mA

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**



Page 3 of 3