



Product Service

Attestation of Conformity

No. N8A 102263 0043 Rev. 00

Holder of Attestation: **Suzhou Cyantronic Technology Co., Ltd**

No.1 Shenxiang Road, SND
215151 Suzhou, Jiangsu
PEOPLE'S REPUBLIC OF CHINA

Product: **Electronic control gear for emergency lighting**
Emergency module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 704022409986-00

Date, 2025-01-23

(Wei Sun)

Page 1 of 6

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 102263 0043 Rev. 00

Model(s):

ANI03-30/MC.; ANI01-30/MC; ANI01-30; ANI03-15/MC.;
 ANI03-30.; ANI03-15.; ANI02-30LFP7302-S20;
 ANI03-30/MC/ST.; ANI01-30/MC/ST; ANI01-30/ST;
 ANI03-15/MC/ST.; ANI03-30/ST.; ANI03-15/ST.;
 ANI03-30/MC/DA; ANI03-15/MC/DA; ANI03-30/DA;
 ANI03-15/DA; ANI05-30/MC; ANI08-15/MC; ANI05-15/MC;
 ANI05-30; ANI08-15; ANI05-15; ANI04-30LFP7304-S20;
 ANI05-30/MC/ST; ANI08-15/MC/ST; ANI05-15/MC/ST;
 ANI05-30/ST; ANI08-15/ST; ANI05-15/ST; ANI05-30/MC/DA;
 ANI08-15/MC/DA; ANI05-15/MC/DA; ANI05-30/DA;
 ANI08-15/DA; ANI05-15/DA; AI03-30/MC; AI03-15/MC;
 AI01-30/MC; AI01-30; AI03-30; AI03-15; AI03-30/MC/ST.;
 AI01-30/MC/ST; AI01-30/ST; AI03-15/MC/ST; AI03-30/ST.;
 AI03-15/ST; AI03-30/MC/DA; AI03-15/MC/DA; AI03-30/DA;
 AI03-15/DA; AI02-30LFP7302-S20; AI05-30/MC; AI05-15/MC;
 AI05-30; AI05-15; AI05-30/MC/ST; AI05-15/MC/ST; AI05-30/ST;
 AI05-15/ST; AI05-30/MC/DA; AI05-15/MC/DA; AI05-30/DA;
 AI05-15/DA; AI04-30LFP7304-S20

Brand:

CYANTRONIC

CYANTRONIC

Parameters:

Rated voltage:	220-240V~
Rated frequency:	50/60Hz
Rated input current:	See model list
Rated output:	See model list
Rated duration:	See model list
tc:	75°C
Method of installation:	Built-in
Battery:	See model list

Page 2 of 6

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 102263 0043 Rev. 00

Model	Internal Code	Rated Input Current (mA)	Battery	Rated output				Duration (h)
				Output Voltage (VDC)	Emergency (mA)	Rated (W)	U-OUT (VDC)	
ANI03-30/MC.	9010330365	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI01-30/MC	9010130165	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI01-30	9010330385	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI03-15/MC.	9010310165	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	1.5
ANI03-30.	9010330385	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI03-15.	9010310185	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	1.5
ANI02-30LFP7302-S20	9010330385	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI03-30/MC/ST.	9010330366	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI01-30/MC/ST	9010330366	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI01-30/ST	9010330386	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI03-15/MC/ST.	9010310166	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	1.5
ANI03-30/ST.	9010330386	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI03-15/ST.	9010310186	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	1.5
ANI03-30/MC/DA	9010330367	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI03-15/MC/DA	9010310167	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	1.5
ANI03-30/DA	9010330387	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	3
ANI03-15/DA	9010310187	Max. 19	2IFpR19/66 2.0Ah 6.4V	30-300	8-80	3	310	1.5
ANI05-30/MC	9010530465	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	3
ANI08-15/MC	9010810465	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI05-15/MC	9010510365	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI05-30	9010530485	Max.	2IFpR19/66	30-300	13-130	5	310	3

Page 3 of 6

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 102263 0043 Rev. 00

		21	-2 4.0Ah 6.4V					
ANI08-15	9010810485	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI05-15	9010510385	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI04-30LFP7304-S20	9010530485	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	3
ANI05-30/MC/ST	9010530466	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	3
ANI08-15/MC/ST	9010810466	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	3
ANI05-15/MC/ST	9010510366	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI05-30/ST	9010530486	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	3
ANI08-15/ST	9010810486	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI05-15/ST	9010510386	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI05-30/MC/DA	9010530467	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	3
ANI08-15/MC/DA	9010810467	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI05-15/MC/DA	9010510367	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI05-30/DA	9010530487	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	3
ANI08-15/DA	9010810487	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
ANI05-15/DA	9010510387	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	30-300	13-130	5	310	1.5
AI03-30/MC	9000330365	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI03-15/MC	9000310165	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	1.5
AI01-30/MC	9000330365	Max.	2IFpR19/66	20-55	45-125	3	60	3

Page 4 of 6

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 102263 0043 Rev. 00

		19	2.0Ah 6.4V					
AI01-30	9000330385	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI03-30	9000330385	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI03-15	9000310185	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	1.5
AI03-30/MC/ST.	9000330366	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI01-30/MC/ST	9000330366	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI01-30/ST	9000330386	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI03-15/MC/ST	9000310166	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	1.5
AI03-30/ST.	9000330386	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI03-15/ST	9000310186	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	1.5
AI03-30/MC/DA	9000330367	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI03-15/MC/DA	9000310167	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	1.5
AI03-30/DA	9000330387	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI03-15/DA	9000310187	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	1.5
AI02-30LFP7302-S20	9000330385	Max. 19	2IFpR19/66 2.0Ah 6.4V	20-55	45-125	3	60	3
AI05-30/MC	9000530465	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	3
AI05-15/MC	9000510365	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	1.5
AI05-30	9000530485	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	3
AI05-15	9000510385	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	1.5
AI05-30/MC/ST	9000530466	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	3
AI05-15/MC/ST	9000510366	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	1.5
AI05-30/ST	9000530486	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	3
AI05-15/ST	9000510386	Max.	2IFpR19/66	20-55	73-200	5	60	1.5

Page 5 of 6

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 102263 0043 Rev. 00

		21	-2 4.0Ah 6.4V					
AI05-30/MC/DA	9000530467	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	3
AI05-15/MC/DA	9000510367	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	1.5
AI05-30/DA	9000530487	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	3
AI05-15/DA	9000510387	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	1.5
AI04-30LFP7304-S20	9000530465	Max. 21	2IFpR19/66 -2 4.0Ah 6.4V	20-55	73-200	5	60	3

**Tested
according to:**

EN 61347-1:2015/A1:2021
EN 61347-2-7:2012/A2:2022

Page 6 of 6

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.